

Classic

OUTDOOR LIGHTING



DURALIGHTING®
-Resin Material-
ALUMINIUM

Classic

OUTDOOR LIGHTING





ABOUT US

DURALITE was born out of a thirty-year strong experience in designing and manufacturing of aluminium tools and the same long presence in aluminium casting industry.

Why not apply this vast experience even to the lighting technology?

Our painstaking products research, design and full development within the company are our key to propose ever modern and actual fixtures, capable of meeting any requirements in the residential lighting for outdoor use.

Each and every piece is the fruit of constant market research and continuous improvement.

Our perfect knowledge of the characteristics of the various materials to be used is the propelling force behind our ability to produce complete series of products with different aesthetic and technologic configuration capable of compete at international level and perfectly adapting to the ever-varying market we operate in today.

A dark, atmospheric photograph of a narrow hallway. A glowing street lamp with a decorative wrought-iron bracket is the central light source, casting a warm glow. To the right, a window with multiple panes is visible, reflecting light. The walls are dark and textured, creating a sense of depth and mystery.

THE QUALITY OF MADE IN ITALY

DURALITE products are painstakingly designed to reflect the class and finesse of the Italian design which has always been a symbol of style and quality.

The concept of quality remains an absolute priority: all product processing steps carried out in-house or externally meet the highest quality standards.

The concept of quality is also reflected in the workplace, in the services we offer to our customers, in our design and aesthetic choices, as well as in our product manufacturing and sales process.

Italian excellence is renowned and appreciated all over the world. As a brand, "Made in Italy" means perfection in detail, research, finesse, class and style.

THE EVERLASTING CLASSIC MEETS THE MODERN

With our Duralite classic lines, we are able to meet the needs of customers looking for residential lighting solutions, as well as lighting solutions for squares, parks or hotels with a classy and refined style.

By producing a wide range of both Duralighting® resin and aluminium products, we offer our customers a chance to evaluate the model that best suits their needs.

The tradition of the timeless classic combines with the innovation typical of modern products: besides a painstaking and continuous research on the quality of materials and components, part of our lanterns has been fitted with state-of-the-art LED technology, perfectly merging the past and the present.




SERVICES AND ENVIRONMENTAL FRIENDLY



Customer Care

Our website and constantly operating telephone lines help us guarantee an efficient customer care service.



Technical Support

Thanks to the experienced gathered over the years, at DURALITE we are in a position to offer both pre and after sales technical support.



Just in Time

Is a system of supplying goods as close as possible to when they are actually needed.

JIT is one of the propelling forces behind DURALITE. In-house production guarantees quick delivery time thus facilitating the customer in terms of sales and warehouse management.



Eco-sustainability

All Duralite products are carried out in harmony with the environment that includes light control, material choice and production in conformity with natural environment.

RESIN MATERIAL DURALIGHTING®

Outdoor lighting requires painstaking search of materials and technologies most suitable to guarantee high resistance.

Thus, not only did we – at **DURALITE** – conceive and patent a material which subsequently led to solid and long lasting products, but we also maintained a classy design and finishing: **DURALIGHTING®**.

DURALIGHTING® is a resin resistant to corrosion and caustic substances.

It is a UV-stabilized material resistant to any atmospheric agent.

Thus, thanks to this resistance, it is suitable for any climatic condition and above all in coastal areas with particularly high salt values.

Products made using **DURALIGHTING®** have a specific weight and smooth metal-like classy finishing.

In addition, **DURALIGHTING®** is not painted: the colour is in the raw material and thus no problems related to discoloration and fading, hence requiring least maintenance possible.



ANTI CORROSION

Resistant to any atmospheric agent



UV STABILIZED

Protected from the long-term UV degradation effects



NO MAINTENANCE

Painting not necessary
– the color is in the paste of raw material–

SAFETY
FIRST!

DOUBLE INSULATION

Not require a safety connection to electrical earth



HIGH SPECIFIC WEIGHT

Heavy and strong material



ELEGANT STYLE AND SMOOTH FINISH

High quality and great appearance

ALUMINIUM

The superior quality of ALUMINIUM lighting fixtures produced by DURALITE is the result of years of experience combined with continuous research and product development.

The low weight, high strength, superior malleability, easy machining and good corrosion resistance of ALUMINIUM allow the production of lighting fixtures in different shapes and styles.

Furthermore the Aluminium is 100 percent recyclable with no downgrading of its qualities. The re-melting of aluminium requires little energy: only about 5 percent of the energy required to produce the primary metal initially is needed in the recycling process.

Each aluminium item produced by DURALITE is painted in thermosetting polyester powder.


























































































Index - DURALIGHTING®
















SMALL SIZE | RESIN MATERIAL DURALIGHTING®

												
D.7010/DP190 /3/F6/BLK p.14	D.7010/PLEN /BLK p.14	D.7010/LE /BLK p.14	D.7010/STLL /BLK p.15	D.7010/SPLL /BLK p.15	D.7010/STP /BLK p.15	D.7010/SPP /BLK p.15	D.7010/S /BLK p.15	D.7030/PLEN /BLK p.16	D.7030/LE /BLK p.16	D.7030/LT /BLK p.16	D.7030/STLL /BLK p.17	D.7030/SPLL /BLK p.17

MEDIUM SIZE | RESIN MATERIAL DURALIGHTING®






													
D.700/DP190 /3/F12/BLK p.20	D.700/PLEN /BLK p.20	D.700/LE /BLK p.20	D.700/STL /BLK p.21	D.700/SPL /BLK p.21	D.700/STR /BLK p.21	D.700/SPR /BLK p.21	D.700/S/BLK p.23	D.700/A/BLK p.23	D.377/DP190 /3/F12/BLK p.24	D.377/PLEN /BLK p.24	D.377 /PLEN4007/ BLK p.24	D.377/LE /BLK p.24	D.377/STL /BLK p.25
													
D.377/SPL /BLK p.25	D.377/STR /BLK p.25	D.377/SPR /BLK p.25	D.377/STBA /BLK p.27	D.377/S /BLK p.27	D.577/P/DP190 /3/F6/BLK p.28	D.577/P/ PLEN/BLK p.28	D.577/P/ PLEN4007 /BLK p.28	D.577/P/LE /BLK p.28	D.577/P/STL /BLK p.29	D.577/P/SPL /BLK p.29	D.577/P/STR /BLK p.29	D.577/P/SPR /BLK p.29	D.577/P/ STBA /BLK p.31
													
D.577/P/S /BLK p.31	D.8302/DP190 /3/F6/BLK p.32	D.8302/PLEN /BLK p.32	D.8302/ PLEN4007/ BLK p.32	D.8302/LE /BLK p.32	D.8302/STL /BLK p.33	D.8302/SPL /BLK p.33	D.8302/STBA /BLK p.33	D.8302/S /BLK p.33	D.7020/DP190 /3/F6/BLK p.34	D.7020/PLEN /BLK p.34	D.7020/LE /BLK p.34	D.7020/STL /BLK p.35	D.7020/SPL /BLK p.35
													
D.7020/S /BLK p.35	D.7025/DP190 /3/F6/BLK p.36	D.7025/PLEN /BLK p.36	D.7025/LE /BLK p.36	D.7025/STL /BLK p.37	D.7025/SPL /BLK p.37	D.7025/S /BLK p.37	D.7016/DP190 /3/F6/BLK p.38	D.7016/PLEN /BLK p.38	D.7016/LE /BLK p.38	D.7016/STP /BLK p.39	D.7016/SPP /BLK p.39	D.7016/S /BLK p.39	D.8100/ DP190/3/ F12/BLK p.40
													
D.8100/PLEN /RD/BLK p.40	D.8100/RD /BLK p.40	D.8100/ STL-SPL /BLK p.41	D.8100/ STL-SPL /BLK p.41	D.8100/S /BLK p.41	D.0107/ DP190/25 /2/F12/BLK/ OP p.42	D.0107/ DP190/30/I/ BLK/OP p.42	D.0107/ PLEN4007/ 25/BLK/OP p.42	D.0107/LE/25 /BLK/OP p.43	D.0107/M/25 /BLK/OP p.43				

BIG SIZE | RESIN MATERIAL DURALIGHTING®

														
D.50- MILANO /DP211/I/ BLK/LED p.46	D.50- MILANO /FORUM1/I/ BLK/LED p.46	D.50- MILANO/ FORUM2/I/ BLK/LED p.46	D.50- MILANO/ CLASSIC3/I/ BLK/LED p.46	D.50- MILANO/ FORUM2/3/ B28/BLK/ LED p.47	D.50- MILANO/ CLASSIC3/3 /B27/BLK/ LED p.47	D.50- MILANO /B27/BLK/ LED p.49	D.50- MILANO/ B28/BLK/ LED p.49	LAMPARA/ FORUM2/ B25/BLK/ LED p.50	LAMPARA/ B25/BLK/ LED p.51	D.577/M/ DP190/I/ BLK p.52	D.577/M/ PLEN4007/ BLK p.52	D.577/M/LE /BLK p.52	D.577/M/ STL /BLK p.53	D.577/M/ SPL /BLK p.53

Index - ALUMINIUM

MEDIUM SIZE | ALUMINIUM

													
A.1780/P191/3/F5/BLK p.56	A.1780/P112ESA/BLK p.56	A.1780/LE/BLK p.56	A.1780/STA/BLK p.57	A.1780/SPA/BLK p.57	A.1780/S/BLK p.57	A.587/P191/3/F6/BLK p.58	A.587/LE/BLK p.58	A.587/STL/BLK p.59	A.587/SPL/BLK p.59	A.588/P191/3/F6/BLK p.61	A.588/LE/BLK p.61	A.588/STL/BLK p.62	A.588/SPL/BLK p.62
													
A.9002/P190P/3/F8SR/BLK-COP p.64	A.9002/P112ESA/BLK-COP p.64	A.9002/P108N/BLK-COP p.64	A.9002/LE/BLK-COP p.64	A.9002/STP/BLK-COP p.65	A.9002/SPP/BLK-COP p.65	A.9002/S/BLK-COP p.65	A.0107/P191/25/3+1/B60/WHT/OP p.66	A.0107/P191/40/1/WHT/OP p.66	A.0107/P112ESA/25/WHT/OP p.67	A.0107/LE/25/WHT/OP p.67	A.0107/ST/20/WHT/OP p.69	A.0107/STN/25/WHT/OP p.69	A.0107/ST/20/WHT/OP p.69
													
A.1998/P191/3/F5/BLK p.70	A.1998/P185N/1/BLK p.70	A.1998/P110L/BLK p.70	A.1998/L/BLK p.70	A.1998/WB/BLK p.71	A.9005/P185N/3/F5/MTL-SLV p.72	A.9005/P185N/1/MTL-SLV p.72	A.9005/P110L/MTL-SLV p.72	A.9005/WB/MTL-SLV p.73					

BIG SIZE | ALUMINIUM

				
A.677GIG/P13/1/BLK/LED p.76	A.677GIG/B16/BLK/LED p.77	A.0107GIG/P13/40/1/BLK/OP p.78	A.0107GIG/P13/B24/40/BLK/OP p.78	A.0107GIG/B24/40/BLK/OP p.79

ALPHA-LED



ALPHA - LED
p.81

SMALL SIZE

RESIN MATERIAL DURALIGHTING®

A complete range of classic lantern in resin material DURALIGHTING® with small dimensions to light up reduced spaces and small areas.



MATERIAL

LANTERN and ARM/BASE in resin material DURALIGHTING®: a patented material studied to resist against UV-rays, corrosion and all weather agents. It can be used in any climatic areas especially in marine environments and tropical climates. The DURALIGHTING® is a strong and resistant material with a polished and smooth finish.

POST DP190 in resin material with an internal galvanized steel pipe.

DIFFUSER in polycarbonate UV stabilized.

TECHNICAL DETAILS

PROTECTION DEGREE: IP44

ISOLATION CLASS: II

COLOR: black (BLK)
hand shaded color:
black-rust (BLK-RST)
black-green (BLK-GRN)
black-gold (BLK-GLD)
black-silver (BLK-SLV)

LAMP: E27 – max 60W

Stainless steel screws
Fixing kit included

APPLICATIONS

- GARDEN
- BALCONY
- PORCH
- COURT

D.7010

SMALL SIZE

Light fitting for wall or ground fixing with small size lantern and arm/base in resin material Duralighting®; diffuser in polycarbonate UV stabilized.
 Post DP190 in resin material with an internal galvanized steel pipe.
 Fixing kit included.
 Suitable for outdoor use: garden, court, balcony, porch, residential area.





D.7010/DP190/3/F6/BLK



D.7010/PLEN/BLK



D.7010/LE/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0219	D.7010/DP190/3/F6/BLK	E27 - max 60W	0,18	■
DB.0088	D.7010/PLEN/BLK	E27 - max 60W	0,06	■
DB.0087	D.7010/LE/BLK	E27 - max 60W	0,02	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)

D.7010

SMALL SIZE



D.7010/STLL/BLK



D.7010/SPLL/BLK








D.7010/STP/BLK



D.7010/SPP/BLK



D.7010/S/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0386	D.7010/STLL/BLK	E27 - max 60W	0,02	■
DB.0399	D.7010/SPLL/BLK	E27 - max 60W	0,02	■
DB.0085	D.7010/STP/BLK	E27 - max 60W	0,02	■
DB.0084	D.7010/SPP/BLK	E27 - max 60W	0,02	■
DB.0086	D.7010/S/BLK	E27 - max 60W	0,02	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)

FIXING
KIT
INCLUDED

IP44

U.V.
RESISTANT

D.7030

SMALL SIZE

Light fitting for wall or ground fixing with small size lantern and arm/base in resin material Duralighting[®]; diffuser in polycarbonate UV stabilized. Fixing kit included. Suitable for outdoor use: garden, court, balcony, porch, residential area.





D.7030/PLEN/BLK



D.7030/LE/BLK



D.7030/LT/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0231	D.7030/PLEN/BLK	E27 - max 60W	0,02	■
DB.0138	D.7030/LE/BLK	E27 - max 60W	0,02	■
DB.0232	D.7030/LT/BLK	E27 - max 60W	0,02	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)



IP44



D.7030



SMALL SIZE



D.7030/STLL/BLK



D.7030/SPLL/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0409	D.7030/STLL/BLK	E27 - max 60W	0,02	■
DB.0387	D.7030/SPLL/BLK	E27 - max 60W	0,02	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)

FIXING
KIT
INCLUDED

IP44

U.V.
RESISTANT

MEDIUM SIZE

RESIN MATERIAL DURALIGHTING®

The MEDIUM SIZE lanterns are the ideal solution for lighting up residential areas, parks and small squares.

The high resistance and quality of resin material DURALIGHTING®, the different and wide shapes – squared, rounded or hexagonal – of these ranges, are conceived in order to satisfy the different tastes of customer.



MATERIAL

LANTERN and ARM/BASE in resin material DURALIGHTING®: a patented material studied to resist against UV-rays, corrosion and all weather agents. It can be used in any climatic areas especially in marine environments and tropical climates. The DURALIGHTING® is a strong and resistant material with a polished and smooth finish.

POST DP190 in resin material with an internal galvanized steel pipe.

DIFFUSER in polycarbonate UV stabilized or globe in PMMA

TECHNICAL DETAILS

PROTECTION DEGREE: IP44
IP54

ISOLATION CLASS: II

COLOR: black (BLK)
white (WHT) only for
D.700 – D.8100
hand shaded color:
black-rust (BLK-RST)
black-green (BLK-GRN)
black-gold (BLK-GLD)
black-silver (BLK-SLV)

LAMP: E27 – max 60W

Stainless steel screws
Fixing kit included

APPLICATIONS

- GARDEN
- BALCONY
- PORCH
- COURT
- RESIDENTIAL AREA
- WALKWAY
- SMALL SQUARE

D.700

MEDIUM SIZE

Light fitting for wall or ground fixing with medium size lantern and arm/base in resin material Duralighting®; diffuser in polycarbonate UV stabilized.
Post DP190 in resin material with an internal galvanized steel pipe.
Fixing kit included.
Suitable for outdoor use: garden, court, balcony, porch, residential area, walkway, small square.





D.700/DP190/3/F12/BLK



D.700/PLEN/BLK



D.700/LE/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0288	D.700/DP190/3/F12/BLK	E27 - max 60W	0,18	■
DB.0485	D.700/DP190/3/F12/WHT	E27 - max 60W	0,18	□
DB.0254	D.700/PLEN/BLK	E27 - max 60W	0,06	■
DB.0290	D.700/PLEN/WHT	E27 - max 60W	0,06	□
DB.0015	D.700/LE/BLK	E27 - max 60W	0,03	■
DB.0261	D.700/LE/WHT	E27 - max 60W	0,03	□

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV), white-gold (WHT-GLD)



IP44



D.700

MEDIUM SIZE



D.700/STL/BLK







D.700/SPL/BLK



D.700/STR/BLK



D.700/SPR/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0163	D.700/STL/BLK	E27 - max 60W	0,025	■
DB.0259	D.700/STL/WHT	E27 - max 60W	0,025	□
DB.0164	D.700/SPL/BLK	E27 - max 60W	0,025	■
DB.0260	D.700/SPL/WHT	E27 - max 60W	0,025	□
DB.0018	D.700/STR/BLK	E27 - max 60W	0,035	■
DB.0611	D.700/STR/WHT	E27 - max 60W	0,035	□
DB.0016	D.700/SPR/BLK	E27 - max 60W	0,035	■
DB.0489	D.700/SPR/WHT	E27 - max 60W	0,035	□

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV), white-gold (WHT-GLD)



IP44





D.700



MEDIUM SIZE



D.700/S/BLK



D.700/A/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0192	D.700/S/BLK	E27 - max 60W	0,25	■
DB.0258	D.700/S/WHT	E27 - max 60W	0,25	□
DB.0104	D.700/A/BLK	E27 - max 60W	0,25	■
DB.0262	D.700/A/WHT	E27 - max 60W	0,25	□

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV), white-gold (WHT-GLD)



IP44



D.377

MEDIUM SIZE

Light fitting for wall or ground fixing with medium size lantern and arm/base in resin material
Duralighting®; diffuser in polycarbonate UV stabilized.
Post DP190 in resin material with an internal galvanized steel pipe.
Fixing kit included.
Suitable for outdoor use: garden, court, balcony, porch, residential area, walkway, small square.



D.377/DP190/3/F12/BLK






D.377/PLEN/BLK



D.377/PLEN4007/BLK



D.377/LE/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0364	D.377/DP190/3/F12/BLK	E27 - max 60W	0,18	■
DB.0200	D.377/PLEN/BLK	E27 - max 60W	0,06	■
DB.0756	D.377/PLEN4007/BLK	E27 - max 60W	0,03	■
DB.0073	D.377/LE/BLK	E27 - max 60W	0,025	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)

D.377

MEDIUM SIZE



D.377/STL/BLK







D.377/SPL/BLK



D.377/STR/BLK



D.377/SPR/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0370	D.377/STL/BLK	E27 - max 60W	0,025	■
DB.0368	D.377/SPL/BLK	E27 - max 60W	0,025	■
DB.0072	D.377/STR/BLK	E27 - max 60W	0,035	■
DB.0071	D.377/SPR/BLK	E27 - max 60W	0,035	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)



D.377



MEDIUM SIZE



D.377/STBA/BLK



D.377/S/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0193	D.377/STBA/BLK	E27 - max 60W	0,035	■
DB.0205	D.377/S/BLK	E27 - max 60W	0,025	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)

D.577/P

MEDIUM SIZE

Light fitting for wall or ground fixing with medium size lantern and arm/base in resin material Duralighting®; diffuser in polycarbonate UV stabilized.
 Post DP190 in resin material with an internal galvanized steel pipe.
 Fixing kit included.
 Suitable for outdoor use: garden, court, balcony, porch, residential area, walkway, small square.



D.577/P/DP190/3/F6/BLK







D.577/P/PLEN/BLK



D.577/P/PLEN4007/BLK



D.577/P/LE/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0301	D.577/P/DP190/3/F6/BLK	E27 - max 60W	0,18	■
DB.0047	D.577/P/PLEN/BLK	E27 - max 60W	0,06	■
DB.0052	D.577/P/PLEN4007/BLK	E27 - max 60W	0,06	■
DB.0005	D.577/P/LE/BLK	E27 - max 60W	0,025	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)

D.577/P

MEDIUM SIZE



D.577/P/STL/BLK







D.577/P/SPL/BLK



D.577/P/STR/BLK



D.577/P/SPR/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0054	D.577/P/STL/BLK	E27 - max 60W	0,025	■
DB.0053	D.577/P/SPL/BLK	E27 - max 60W	0,025	■
DB.0046	D.577/P/STR/BLK	E27 - max 60W	0,035	■
DB.0045	D.577/P/SPR/BLK	E27 - max 60W	0,035	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)



D.577/P



MEDIUM SIZE



D.577/P/STBA/BLK



D.577/P/S/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0265	D.577/P/STBA/BLK	E27 - max 60W	0,035	■
DB.0226	D.577/P/S/BLK	E27 - max 60W	0,025	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)



IP44



U.V.
RESISTANT



D.8302

MEDIUM SIZE

Light fitting for wall or ground fixing with medium size lantern and arm/base in resin material Duralighting[®]; diffuser in polycarbonate UV stabilized.
 Post DP190 in resin material with an internal galvanized steel pipe.
 Fixing kit included.
 Suitable for outdoor use: garden, court, balcony, porch, residential area, walkway, small square.



D.8302/DP190/3/F6/BLK







D.8302/PLEN/BLK



D.8302/PLEN4007/BLK



D.8302/LE/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0148	D.8302/DP190/3/F6/BLK	E27 - max 60W	0,18	■
DB.0228	D.8302/PLEN/BLK	E27 - max 60W	0,06	■
DB.0050	D.8302/PLEN4007/BLK	E27 - max 60W	0,06	■
DB.0026	D.8302/LE/BLK	E27 - max 60W	0,025	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)

D.8302

MEDIUM SIZE



D.8302/STL/BLK






D.8302/SPL/BLK



D.8302/STBA/BLK



D.8302/S/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0014	D.8302/STL/BLK	E27 - max 60W	0,025	■
DB.0013	D.8302/SPL/BLK	E27 - max 60W	0,025	■
DB.0255	D.8302/STBA/BLK	E27 - max 60W	0,035	■
DB.0141	D.8302/S/BLK	E27 - max 60W	0,025	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)

D.7020

MEDIUM SIZE

Light fitting for wall or ground fixing with medium size lantern and arm/base in resin material
 Duralighting®;
 diffuser in polycarbonate UV stabilized.
 Post DP190 in resin material with an internal galvanized steel pipe.
 Fixing kit included.
 Suitable for outdoor use: garden, court, balcony, porch, residential area, walkway, small square.






D.7020/DP190/3/F6/BLK



D.7020/PLEN/BLK



D.7020/LE/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0379	D.7020/DP190/3/F6/BLK	E27 - max 60W	0,18	■
DB.0271	D.7020/PLEN/BLK	E27 - max 60W	0,06	■
DB.0169	D.7020/LE/BLK	E27 - max 60W	0,025	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)

D.7020

MEDIUM SIZE






D.7020/STL/BLK



D.7020/SPL/BLK



D.7020/S/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0167	D.7020/STL/BLK	E27 - max 60W	0,025	■
DB.0168	D.7020/SPL/BLK	E27 - max 60W	0,025	■
DB.0383	D.7020/S/BLK	E27 - max 60W	0,025	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)

D.7025

MEDIUM SIZE

Light fitting for wall or ground fixing with medium size lantern and arm/base in resin material Duralighting®; diffuser in polycarbonate UV stabilized.
Post DP190 in resin material with an internal galvanized steel pipe.
Fixing kit included.
Suitable for outdoor use: garden, court, balcony, porch, residential area, walkway, small square






D.7025/DP190/3/F6/BLK



D.7025/PLEN/BLK



D.7025/LE/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0570	D.7025/DP190/3/F6/BLK	E27 - max 60W	0,18	■
DB.0571	D.7025/PLEN/BLK	E27 - max 60W	0,06	■
DB.0574	D.7025/LE/BLK	E27 - max 60W	0,025	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)

D.7025

MEDIUM SIZE






D.7025/STL/BLK



D.7025/SPL/BLK



D.7025/S/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0572	D.7025/STL/BLK	E27 - max 60W	0,025	■
DB.0573	D.7025/SPL/BLK	E27 - max 60W	0,025	■
DB.0575	D.7025/S/BLK	E27 - max 60W	0,025	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)

D.7016

MEDIUM SIZE

Light fitting for wall or ground fixing with medium size lantern and arm/base in resin material Duralighting[®]; diffuser in polycarbonate UV stabilized.
Post DP190 in resin material with an internal galvanized steel pipe.
Fixing kit included.
Suitable for outdoor use: garden, court, balcony, porch, residential area, walkway, small square





D.7016/DP190/3/F6/BLK



D.7016/PLEN/BLK



D.7016/LE/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0361	D.7016/DP190/3/F6/BLK	E27 - max 60W	0,18	■
DB.0438	D.7016/PLEN/BLK	E27 - max 60W	0,06	■
DB.0196	D.7016/LE/BLK	E27 - max 60W	0,025	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)



IP44



D.7016

MEDIUM SIZE






D.7016/STP/BLK



D.7016/SPP/BLK



D.7016/S/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0198	D.7016/STP/BLK	E27 - max 60W	0,020	■
DB.0006	D.7016/SPP/BLK	E27 - max 60W	0,020	■
DB.0067	D.7016/S/BLK	E27 - max 60W	0,025	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)

D.8100

MEDIUM SIZE

Light fitting for wall or ground fixing with medium size lantern and arm/base in resin material Duralighting[®]; diffuser in polycarbonate UV stabilized.
Post DP190 in resin material with an internal galvanized steel pipe.
Fixing kit included.
Suitable for outdoor use: garden, court, balcony, porch, residential area, walkway, small square





D.8100/DP190/3/F12/BLK



D.8100/PLEN/RD/BLK



D.8100/RD/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0569	D.8100/DP190/3/F12/BLK	E27 - max 60W	0,18	■
DB.0703	D.8100/DP190/3/F12/WHT	E27 - max 60W	0,18	□
DB.0296	D.8100/PLEN/RD/BLK	E27 - max 60W	0,06	■
DB.0322	D.8100/PLEN/RD/WHT	E27 - max 60W	0,06	□
DB.0306	D.8100/RD/BLK	E27 - max 60W	0,025	■
DB.0323	D.8100/RD/WHT	E27 - max 60W	0,025	□

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV), white-gold (WHT-GLD)



FIXING KIT INCLUDED

IP54



D.8100

MEDIUM SIZE





D.8100/STL-SPL/BLK



D.8100/STL-SPL/BLK



D.8100/S/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0281	D.8100/STL-SPL/BLK	E27 - max 60W	0,025	■
DB.0314	D.8100/STL-SPL/WHT	E27 - max 60W	0,025	□
DB.0295	D.8100/S/BLK	E27 - max 60W	0,025	■
DB.0315	D.8100/S/WHT	E27 - max 60W	0,025	□

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV), white-gold (WHT-GLD)



IP54



U.V.
RESISTANT



D.0107

MEDIUM SIZE

Light fitting for wall or ground fixing with globe in PMMA diam. cm 25 - 30.
 Post PLEN in resin material with an internal galvanized steel pipe.
 Fixing kit for DP190 included.
 Suitable for outdoor use: garden, court, balcony, porch, residential area, walkway, small square.






D.0107/DP190/25/2/F12/BLK/OP



D.0107/DP190/30/1/BLK/OP



D.0107/PLEN4007/25/BLK/OP



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0727	D.0107/DP190/25/2/F12/BLK/OP	E27 - max 60W	0,18	■
DB.0619	D.0107/DP190/30/1/BLK/OP	E27 - max 60W	0,18	■
DB.1152	D.0107/PLEN4007/25/BLK/OP	E27 - max 60W	0,06	■

D.0107



MEDIUM SIZE



D.0107/LE/25/BLK/OP



D.0107/M/25/BLK/OP



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0618	D.0107/LE/25/BLK/OP	E27 - max 60W	0,025	■
DB.0607	D.0107/M/25/BLK/OP	E27 - max 60W	0,025	■

BIG SIZE

RESIN MATERIAL DURALIGHTING®

To complete the lighting fitting ranges in resin material DURALIGHTING®, the big size lantern are proposed for squares, walkways and all publics areas.

Many of them have posts and arms reinforced with internal steel pipe to guarantee a high resistance against impacts and weather agents.



MATERIAL

LANTERN and ARM/BASE in resin material DURALIGHTING®: a patented material studied to resist against UV-rays, corrosion and all weather agents. It can be used in any climatic areas especially in marine environments and tropical climates. The DURALIGHTING® is a strong and resistant material with a polished and smooth finish.

POST in resin material with an internal galvanized steel pipe and polyurethane foam core.

DIFFUSER AND CONE in polycarbonate UV stabilized

TECHNICAL DETAILS

PROTECTION DEGREE: IP44
IP55
IP65

ISOLATION CLASS: I - II

COLOR: black (BLK)

LAMP: LED
E27

Stainless steel screws
Fixing kit included

APPLICATIONS

- GARDEN
- PARK
- PORCH
- COURT
- RESIDENTIAL AREA
- WALKWAY
- SQUARE

D.50-MILANO

BIG SIZE

LED

Light fitting for wall or ground fixing with big size lantern in resin material Duralighting®; diffuser in polycarbonate UV stabilized.
Post DP211 in resin material with an internal galvanized steel pipe.
Post FORUM1, FORUM2, CLASSIC3 in resin material with an internal galvanized steel pipe and polyurethane foam core.
Arm in resin material with internal steel pipe.
Fixing kit included.
Suitable for outdoor use: garden, court, residential area, park, small square, walkway.



D.50-MILANO/DP211/1/BLK/LED







D.50-MILANO/FORUM1/1/BLK/LED



D.50-MILANO/FORUM2/1/BLK/LED



D.50-MILANO/CLASSIC3/1/BLK/LED



CODE	DESCRIPTION	LAMP	LED COLOR	LUMINOUS FLUX	CRI	VOLUME	COLOR
DB.1282	D.50-MILANO/DP211/1/BLK/LED	LED 25W	4000K	2500lm	90	0,30	■
DB.1293	D.50-MILANO/FORUM1/1/BLK/LED	LED 25W	4000K	2500lm	90	0,35	■
DB.1294	D.50-MILANO/FORUM2/1/BLK/LED	LED 25W	4000K	2500lm	90	0,45	■
DB.1295	D.50-MILANO/CLASSIC3/1/BLK/LED	LED 25W	4000K	2500lm	90	0,40	■
DB.0150	D.50-MILANO/DP211/1/BLK	E27 - max 100W				0,30	■
DB.0398	D.50-MILANO/FORUM1/1/BLK	E27 - max 100W				0,35	■
DB.1308	D.50-MILANO/FORUM2/1/BLK	E27 - max 100W				0,45	■
DB.1309	D.50-MILANO/CLASSIC3/1/BLK	E27 - max 100W				0,40	■



IP55



D.50-MILANO

BIG SIZE

LED





D.50-MILANO/FORUM2/3/B28/BLK/LED



D.50-MILANO/CLASSIC3/3/B27/BLK/LED

OPENING SYSTEM
EASY-ACCESS



CODE	DESCRIPTION	LAMP	LED COLOR	LUMINOUS FLUX	CRI	VOLUME	COLOR
DB.1297	D.50-MILANO/FORUM2/3/B28/BLK/LED	LED 25W	4000K	2500lm	90	0,9	■
DB.1296	D.50-MILANO/CLASSIC3/3/B27/BLK/LED	LED 25W	4000K	2500lm	90	0,9	■
DB.1044	D.50-MILANO/FORUM2/3/B28/BLK	E27 - max 100W				0,9	■
DB.0397	D.50-MILANO/CLASSIC3/3/B27/BLK	E27 - max 100W				0,9	■



D.50-MILANO

BIG SIZE

LED





D.50-MILANO/B27/BLK/LED



D.50-MILANO/B28/BLK/LED

OPENING SYSTEM
EASY-ACCESS



CODE	DESCRIPTION	LAMP	LED COLOR	LUMINOUS FLUX	CRI	VOLUME	COLOR
DB.1306	D.50-MILANO/B27/BLK/LED	LED 25W	4000K	2500lm	90	0,90	■
DB.1307	D.50-MILANO/B28/BLK/LED	LED 25W	4000K	2500lm	90	0,90	■
DB.0633	D.50-MILANO/B27/BLK	E27 - max 100W				0,90	■
DB.1043	D.50-MILANO/B28/BLK	E27 - max 100W				0,90	■

IP55   U.V.
RESISTANT   

LAMPARA


BIG SIZE

LED

Light fitting for wall or ground fixing with decorative arm and lantern LAMPARA in extruded aluminium; diffuser in transparent polycarbonate UV stabilized.
Post in resin material with an internal galvanized steel pipe and polyurethane foam core.
Fixing kit included.
Suitable for outdoor use: garden, court, residential area, park, square, walkway.



LAMPARA/FORUM2/B25/BLK/LED



CODE	DESCRIPTION	LAMP	LED COLOR	LUMINOUS FLUX	CRI	VOLUME	COLOR
DB.1298	LAMPARA/FORUM2/B25/BLK/LED	LED 24W	4000K	3800lm	>70	0,80	■



FIXING
KIT
INCLUDED

IP66



CE



U.V.
RESISTANT




LAMPARA

BIG SIZE

LED



LAMPARA/B25/BLK/LED



CODE	DESCRIPTION	LAMP	LED COLOR	LUMINOUS FLUX	CRI	VOLUME	COLOR
DB.1299	LAMPARA/B25/BLK/LED	LED 24W	4000K	3800lm	>70	0,80	■



IP66



CE



U.V.
RESISTANT



D.577/M

BIG SIZE

Light fitting for wall or ground fixing with big size lantern and arm/base in resin material Duralighting®; diffuser in polycarbonate UV stabilized.

Post DP190 in resin material with an internal galvanized steel pipe.

Fixing kit included.

Suitable for outdoor use: garden, court, residential area, park, small square, walkway





D.577/M/DP190/1/BLK



D.577/M/PLEN4007/BLK



D.577/M/LE/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0227	D.577/M/DP190/1/BLK	E27 - max 60W	0,18	■
DB.0051	D.577/M/PLEN4007/BLK	E27 - max 60W	0,06	■
DB.0272	D.577/M/LE/BLK	E27 - max 60W	0,03	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)



FIXING
KIT
INCLUDED

IP44



D.577/M

BIG SIZE






D.577/M/STL/BLK



D.577/M/SPL/BLK



D.577/M/STBA/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0353	D.577/M/STL/BLK	E27 - max 60W	0,035	■
DB.0354	D.577/M/SPL/BLK	E27 - max 60W	0,035	■
DB.0001	D.577/M/STBA/BLK	E27 - max 60W	0,05	■

Available hand shaded colors: black-rust (BLK-RST), black-green (BLK-GRN), black-gold (BLK-GLD), black-silver (BLK-SLV)



FIXING
KIT
INCLUDED

IP44



U.V.
RESISTANT



MEDIUM SIZE

ALUMINIUM

Thanks to their different models and configurations, the medium size lighting fixtures are suitable to light up any building and space in outside external environment.

They are the ideal for classical constructions especially for those made up in elegant and liberty style.

These lanterns are completely made in aluminum and painted in thermosetting polyester powder.



MATERIAL

LANTERN and ARM/BASE in die-cast aluminium.

POST in die-cast aluminium and extruded aluminium.

DIFFUSER in polycarbonate UV stabilized or globe in PMMA

TECHNICAL DETAILS

PROTECTION DEGREE: IP44

ISOLATION CLASS: I

COLOR: black (BLK)
anthracite (ANT)
metal-silver (MTL-SLV)
white (WHT)

LAMP: E27 – max 60W

Stainless steel screws
Fixing kit included

APPLICATIONS

- GARDEN
- COURT
- PORCH
- RESIDENTIAL AREA
- WALKWAY
- PARK
- SMALL SQUARE

A.1780

MEDIUM SIZE

Light fitting for wall or ground fixing with medium size lantern and arm/base in die-cast aluminium; glass diffuser.
Post P191 in die-cast aluminium and extruded aluminium.
Fixing kit included.
Suitable for outdoor use: garden, court, porch, residential area, walkway, park, small square





A.1780/P191/3/F5/BLK



A.1780/P112ESA/BLK



A.1780/LE/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0434	A.1780/P191/3/F5/BLK	E27 - max 60W	0,30	■
DB.1213	A.1780/P112ESA/BLK	E27 - max 60W	0,15	■
DB.0392	A.1780/LE/BLK	E27 - max 60W	0,055	■

Colors available: black (BLK), white (WHT), anthracite (ANT), metal silver (MTL-SLV)



IP44



A.1780

MEDIUM SIZE






A.1780/STA/BLK



A.1780/SPA/BLK



A.1780/S/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0391	A.1780/STA/BLK	E27 - max 60W	0,055	■
DB.0433	A.1780/SPA/BLK	E27 - max 60W	0,055	■
DB.0432	A.1780/S/BLK	E27 - max 60W	0,055	■

Colors available: black (BLK), white (WHT), anthracite (ANT), metal silver (MTL-SLV)

A.587

MEDIUM SIZE



Light fitting for wall or ground fixing with medium size lantern and arm/base in die-cast aluminium; diffuser in polycarbonate UV stabilized rain effect.
Post in die-cast aluminium and extruded aluminium.
Fixing kit included.
Suitable for outdoor use: garden, court, porch, residential area, walkway, park, small square



A.587/P191/3/F6/BLK



A.587/LE/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0327	A.587/P191/3/F6/BLK	E27 - max 60W	0,30	■
DB.0526	A.587/LE/BLK	E27 - max 60W	0,03	■

Colors available: black (BLK), white (WHT), anthracite (ANT), metal silver (MTL-SLV)



IP44

U.V.
RESISTANT

A.587



MEDIUM SIZE



A.587/STL/BLK



A.587/SPL/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0515	A.587/STL/BLK	E27 - max 60W	0,03	■
DB.0516	A.587/SPL/BLK	E27 - max 60W	0,03	■

Colors available: black (BLK), white (WHT), anthracite (ANT), metal silver (MTL-SLV)



IP44



CE

U.V.

RESISTANT





A.588

MEDIUM SIZE

Light fitting for wall or ground fixing with medium size lantern and arm/base in die-cast aluminium; diffuser in polycarbonate UV stabilized rain effect.
Post in die-cast aluminium and extruded aluminium.
Fixing kit included.
Suitable for outdoor use: garden, court, porch, residential area, walkway, park, small square


ALUMINIUM



A.588/P191/3/F6/BLK



A.588/LE/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0904	A.588/P191/3/F6/BLK	E27 - max 60W	0,30	■
DB.0903	A.588/LE/BLK	E27 - max 60W	0,03	■

Colors available: black (BLK), white (WHT), anthracite (ANT), metal silver (MTL-SLV)



IP44



A.588



MEDIUM SIZE



A.588/STL/BLK



A.588/SPL/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0646	A.588/STL/BLK	E27 - max 60W	0,03	■
DB.0248	A.588/SPL/BLK	E27 - max 60W	0,03	■

Colors available: black (BLK), white (WHT), anthracite (ANT), metal silver (MTL-SLV)



IP44


U.V.
RESISTANT



A.9002

MEDIUM SIZE

Light fitting for wall or ground fixing with medium size lantern and arm/base in die-cast aluminium; diffuser in polycarbonate UV stabilized.
Post in die-cast aluminium and extruded aluminium.
Available with copper lid.
Fixing kit included.
Suitable for outdoor use: garden, court, porch, residential area, walkway, park, small square



A.9002/P190P/3/F8SR/BLK-COP







A.9002/P112ESA/BLK-COP



A.9002/P108N/BLK-COP



A.9002/LE/BLK-COP



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0598	A.9002/P190P/3/F8SR/BLK-COP	E27 - max 60W	0,25	
DB.1214	A.9002/P112ESA/BLK-COP	E27 - max 60W	0,10	
DB.1286	A.9002/P108N/BLK-COP	E27 - max 60W	0,08	
DB.0531	A.9002/LE/BLK-COP	E27 - max 60W	0,04	

Colors available: black (BLK), black-copper(BLK-COP)



IP44



A.9002

MEDIUM SIZE






A.9002/STP/BLK-COP



A.9002/SPP/BLK-COP



A.9002/S/BLK-COP



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0529	A.9002/STP/BLK-COP	E27 - max 60W	0,04	
DB.0530	A.9002/SPP/BLK-COP	E27 - max 60W	0,04	
DB.0532	A.9002/S/BLK-COP	E27 - max 60W	0,04	

Colors available: black (BLK), black-copper (BLK-COP)

A.0107


MEDIUM SIZE

Light fitting for wall or ground fixing with arm/base in die-cast aluminium; globe in PMMA diam. cm 20-25-30.

Post in die-cast aluminium and extruded aluminium.

Fixing kit included.


Suitable for outdoor use: garden, court, porch, residential area, walkway, park, small square.



A.0107/P191/25/3+1/B60/WHT/OP



A.0107/P191/40/1/WHT/OP



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0324	A.0107/P191/25/3+1/B60/WHT/OP	E27 - max 60W	0,30	<input type="checkbox"/>
DB.1291	A.0107/P191/40/1/WHT/OP	E27 - max 60W	0,15	<input type="checkbox"/>

Colors available: black (BLK), white (WHT), anthracite (ANT), metal silver (MTL-SLV)



FIXING
KIT
INCLUDED

IP44



CE




U.V.
RESISTANT



A.0107



MEDIUM SIZE



A.0107/P112ESA/25/WHT/OP



A.0107/LE/25/WHT/OP



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.1216	A.0107/P112ESA/25/WHT/OP	E27 - max 60W	0,09	<input type="checkbox"/>
DB.0483	A.0107/LE/25/WHT/OP	E27 - max 60W	0,025	<input type="checkbox"/>

Colors available: black (BLK), white (WHT), anthracite (ANT), metal silver (MTL-SLV)



A.0107

MEDIUM SIZE






A.0107/ST/20/WHT/OP



A.0107/STN/25/WHT/OP



A.0107/ST/20/2/WHT/OP



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0481	A.0107/ST/20/WHT/OP	E27 - max 60W	0,020	<input type="checkbox"/>
DB.0215	A.0107/STN/25/WHT/OP	E27 - max 60W	0,025	<input type="checkbox"/>
DB.0482	A.0107/ST/20/2/WHT/OP	E27 - max 60W	0,035	<input type="checkbox"/>

Colors available: black (BLK), white (WHT), anthracite (ANT), metal silver (MTL-SLV)

A.1998

MEDIUM SIZE

Light fitting for wall or ground fixing with medium size lantern and arm/base in die-cast aluminium; diffuser in polycarbonate UV stabilized.
Post in die-cast aluminium and extruded aluminium.
Fixing kit included.
Suitable for outdoor use: garden, court, porch, residential area, walkway, park, small square.



A.1998/P191/3/F5/BLK







A.1998/P185N/1/BLK



A.1998/P110L/BLK



A.1998/L/BLK



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0453	A.1998/P191/3/F5/BLK	E27 - max 60W	0,25	■
DB.1301	A.1998/P185N/1/BLK	E27 - max 60W	0,10	■
DB.0551	A.1998/P110L/BLK	E27 - max 60W	0,09	■
DB.0547	A.1998/L/BLK	E27 - max 60W	0,03	■

Colors available: black (BLK), white (WHT), anthracite (ANT), metal silver (MTL-SLV)



FIXING
KIT
INCLUDED

IP44




A.1998

MEDIUM SIZE



A.1998/WB/BLK




CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0276	A.1998/WB/BLK	E27 - max 60W	0,025	■

Colors available: black (BLK), white (WHT), anthracite (ANT), metal silver (MTL-SLV)

A.9005

MEDIUM SIZE

Light fitting for wall or ground fixing with medium size lantern and arm in die-cast aluminium; diffuser in polycarbonate UV stabilized.
Post in die-cast aluminium and extruded aluminium.
Fixing kit included.
Suitable for outdoor use: garden, court, porch, residential area, walkway, park, small square






A.9005/P185N/3/F5/MTL-SLV



A.9005/P185N/1/MTL-SLV



A.9005/P110L/MTL-SLV



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.1302	A.9005/P185N/3/F5/MTL-SLV	E27 - max 60W	0,25	■
DB.1303	A.9005/P185N/1/MTL-SLV	E27 - max 60W	0,10	■
DB.0601	A.9005/P110L/MTL-SLV	E27 - max 60W	0,09	■

Colors available: black (BLK), white (WHT), anthracite (ANT), metal silver (MTL-SLV)



IP44





A.9005

MEDIUM SIZE



A.9005/WB/MTL-SLV



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.0395	A.9005/WB/MTL-SLV	E27 - max 60W	0,025	

Colors available: black (BLK), white (WHT), anthracite (ANT), metal silver (MTL-SLV)

BIG SIZE

ALUMINIUM

The charme and elegance of aluminium material are brought out in these ranges for urban lighting.

The big size lanterns are suitable for gardens, parks, walkways and squares.
In die-cast or extruded aluminium they are synonymous of resistance and durability.



MATERIAL

LANTERN and ARM in die-cast aluminium or aluminium alloy.

POST in die-cast aluminium and extruded aluminium.

DIFFUSER in polycarbonate UV stabilized or globe in PMMA.

TECHNICAL DETAILS

PROTECTION DEGREE: IP44
IP65

ISOLATION CLASS: I

COLOR: black (BLK)

LAMP: LED
E27

Stainless steel screws
Fixing kit included

APPLICATIONS

- GARDEN
- COURT
- PORCH
- RESIDENTIAL AREA
- WALKWAY
- PARK
- SQUARE

A.677GIG


BIG SIZE

LED

Light fitting for wall or ground fixing with big size lantern in die-cast aluminium with tempered glass diffuser for wiring compartment under the lid.
Post in aluminium alloy and extruded aluminium.
Fixing kit included.
Suitable for outdoor use: garden, court, residential area, walkway, park, square.



A.677GIG/P13/1/BLK/LED



CODE	DESCRIPTION	LAMP	LED COLOR	LUMINOUS FLUX	CRI	VOLUME	COLOR
DB.1289	A.677GIG/P13/1/BLK/LED	LED 40W	4000K	6000lm	85	0,90	■
DB.1288	A.677GIG/P13/1/BLK	E27 - max 100W				0,90	■



IP65



A.677GIG


BIG SIZE

LED

ALUMINIUM



A.677GIG/B16/BLK/LED



CODE	DESCRIPTION	LAMP	LED COLOR	LUMINOUS FLUX	CRI	VOLUME	COLOR
DB.1290	A.677GIG/B16/BLK/LED	LED 40W	4000K	6000lm	85	0,60	■
DB.1292	A.677GIG/B16/BLK	E27 - max 100W				0,60	■



IP65



U.V.
RESISTANT



A.0107GIG

BIG SIZE



Light fitting for wall or ground fixing with arm in extruded aluminium; globe in PMMA diam. cm 40.
Post in aluminium alloy and extruded aluminium.
Fixing kit included.
Suitable for outdoor use: garden, court, porch, residential area, walkway, park, square.



A.0107GIG/P13/40/1/BLK/OP



A.0107GIG/P13/B24/40/BLK/OP



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.1304	A.0107GIG/P13/40/1/BLK/OP	E27 - max 100W	0,60	■
DB.1305	A.0107GIG/P13/B24/40/BLK/OP	E27 - max 100W	0,70	■



IP44



CE



U.V.
RESISTANT




A.0107GIG

BIG SIZE

ALUMINIUM



A.0107GIG/B24/40/BLK/OP



CODE	DESCRIPTION	LAMP	VOLUME	COLOR
DB.1046	A.0107GIG/B24/40/BLK/OP	E27 - max 100W	0,30	■



ALPHA LED

Recessed lighting fixture for ceiling for indoor use.


Body in die-cast aluminum painted in thermosetting polyester powder, diffuser in PMMA with high power LED 25W.





Suitable for restaurant, living room, residential home, shopping center, showroom.

ALUMINIUM



ALPHA LED



CODE	DESCRIPTION	LAMP	LED COLOR	LUMINOUS FLUX	VOLUME	FRAME COLOR
DB.0478	ALPHA-LED/WHT/N	LED 25W	4000K	4000lm	0,006	
DB.0514	ALPHA-LED/MTL-SLV/N	LED 25W	4000K	4000lm	0,006	
DB.1042	ALPHA-LED/WHT/W	LED 25W	2700K	3800lm	0,006	
DB.0825	ALPHA-LED/MTL-SLV/W	LED 25W	2700K	3800lm	0,006	

Technical Information

Symbols



Product in compliance with European Union health, safety and environmental protection directive and regulations.



Fixture suitable for installation on normally inflammable surfaces.



UV-stabilized material.
Anti-yellowing.



Made in material which is resistant to vandalism acts.



Range of temperature between -50 and +80 degrees.



Fixture in recycling material.

Insulation Class



CLASS I

Fixture equipped with primary insulation only.
The safety of the product is guaranteed by an additional protective conductor for earth.



CLASS II

Product with double or reinforced insulation without earth devices.



CLASS III

Product suitable for very low voltage.

Protection Degree IP

Degree of protection against penetration of solid (first number) and liquid (second number)

IP23

Protected against penetration of solid bodies $\varnothing \geq 12$ mm and protected against rain.

IP44

Protected against penetration of solid bodies $\varnothing \geq 1$ mm and against water sprays.

IP65

Sealed against penetration of dust and protected against water jets.

IP40

Protected against penetration of solid bodies $\varnothing \geq 1$ mm.

IP54

Protected against penetration of dust and against water sprays.

IP67

Sealed against penetration of dust and protected against extensive quantity of water.

IP43

Protected against penetration of solid bodies $\varnothing \geq 1$ mm and against rain.

IP55


Protected against penetration of dust and against water jets.

Technical Information


Colors



BLACK (BLK)



WHITE (WHT)




ANTHRACITE (ANT)



METAL-SILVER (MTL-SLV)


Hand shaded colors:



BLACK-UST (BLK-RST)



BLACK-GREEN (BLK-GRN)



BLACK-SILVER (BLK-SLV)



BLACK-GOLD (BLK-GLD)

General Sale Conditions

- All prices are ex-works, unless otherwise agreed above.
- The order will be accepted after a written confirmation of the proforma invoice.
- The cancellation of order can be accepted only within 24 hours from the conformation of proforma invoice.
- Transport or delivery by any means are at buyer's own risk.
The company will not be liable for any damages after goods delivery to the carrier or the consigner, even if freight fees are included in the sale price.
- All DURALITE products are strictly inspected before delivery and they are guaranteed against production defects in compliance with European safety standards for 2 years.
- The company will judge from time to time its responsibility and in case of responsibility it will proceed to the replacement.
- The faulty pieces will be given back to DURALITE company at customer's expenses.
- The warranty doesn't cover the costs of transport, uninstallation, reinstallation.
- DURALITE S.r.l. company will not be liable for any damages arising from incorrect installation, misuse or use with components of other products.
- For any controversy, the court of Brescia (Italy) will have exclusive jurisdiction .
All DURALITE S.r.l. products are produced in compliance with European safety standards.

The DURALITE S.r.l. reserves the right to make improvements to the products described in this catalogue without giving prior notice.



DURALITE© sells all over the WORLD





Duralite S.r.l.
Via Brescia, 77, 25065
Lumezzane (BS) - Italy

Tel.
+39 030 871421

info@duralite.it
www.duralite.it



Duralite S.r.l.

Via Brescia, 77, 25035
Lumezzane (BS) – Italy

Tel. +39 030 871421

info@duralite.it
www.duralite.it